

Page 1 of 1									
Case	Year	Month	Day	Time	Location	Event	Category	Severity	Notes
1	2023	01	01	10:00	Room 101	Fire Alarm	Minor	Low	False alarm, no action required.
2	2023	01	05	14:30	Room 205	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
3	2023	01	10	09:15	Room 302	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
4	2023	01	15	16:45	Room 408	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
5	2023	01	20	11:30	Room 501	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
6	2023	01	25	08:00	Room 603	Fire Alarm	Minor	Low	False alarm, no action required.
7	2023	01	30	13:00	Room 704	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
8	2023	01	01	07:00	Room 805	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
9	2023	01	05	15:00	Room 906	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
10	2023	01	10	10:00	Room 1007	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
11	2023	01	15	14:00	Room 1108	Fire Alarm	Minor	Low	False alarm, no action required.
12	2023	01	20	09:00	Room 1209	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
13	2023	01	25	16:00	Room 1310	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
14	2023	01	30	11:00	Room 1411	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
15	2023	01	01	08:00	Room 1512	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
16	2023	01	05	13:00	Room 1613	Fire Alarm	Minor	Low	False alarm, no action required.
17	2023	01	10	15:00	Room 1714	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
18	2023	01	15	07:00	Room 1815	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
19	2023	01	20	14:00	Room 1916	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
20	2023	01	25	10:00	Room 2017	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
21	2023	01	30	16:00	Room 2118	Fire Alarm	Minor	Low	False alarm, no action required.
22	2023	01	01	09:00	Room 2219	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
23	2023	01	05	11:00	Room 2320	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
24	2023	01	10	13:00	Room 2421	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
25	2023	01	15	08:00	Room 2522	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
26	2023	01	20	14:00	Room 2623	Fire Alarm	Minor	Low	False alarm, no action required.
27	2023	01	25	10:00	Room 2724	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
28	2023	01	30	16:00	Room 2825	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
29	2023	01	01	11:00	Room 2926	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
30	2023	01	05	07:00	Room 3027	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
31	2023	01	10	13:00	Room 3128	Fire Alarm	Minor	Low	False alarm, no action required.
32	2023	01	15	09:00	Room 3229	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
33	2023	01	20	15:00	Room 3330	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
34	2023	01	25	11:00	Room 3431	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
35	2023	01	30	08:00	Room 3532	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
36	2023	01	01	14:00	Room 3633	Fire Alarm	Minor	Low	False alarm, no action required.
37	2023	01	05	10:00	Room 3734	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
38	2023	01	10	16:00	Room 3835	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
39	2023	01	15	12:00	Room 3936	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
40	2023	01	20	09:00	Room 4037	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
41	2023	01	25	15:00	Room 4138	Fire Alarm	Minor	Low	False alarm, no action required.
42	2023	01	30	11:00	Room 4239	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
43	2023	01	01	07:00	Room 4340	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
44	2023	01	05	13:00	Room 4441	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
45	2023	01	10	09:00	Room 4542	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
46	2023	01	15	15:00	Room 4643	Fire Alarm	Minor	Low	False alarm, no action required.
47	2023	01	20	11:00	Room 4744	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
48	2023	01	25	07:00	Room 4845	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
49	2023	01	30	13:00	Room 4946	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
50	2023	01	01	09:00	Room 5047	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
51	2023	01	05	15:00	Room 5148	Fire Alarm	Minor	Low	False alarm, no action required.
52	2023	01	10	11:00	Room 5249	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
53	2023	01	15	07:00	Room 5350	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
54	2023	01	20	13:00	Room 5451	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
55	2023	01	25	09:00	Room 5552	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
56	2023	01	30	15:00	Room 5653	Fire Alarm	Minor	Low	False alarm, no action required.
57	2023	01	01	11:00	Room 5754	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
58	2023	01	05	07:00	Room 5855	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
59	2023	01	10	13:00	Room 5956	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
60	2023	01	15	09:00	Room 6057	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
61	2023	01	20	15:00	Room 6158	Fire Alarm	Minor	Low	False alarm, no action required.
62	2023	01	25	11:00	Room 6259	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
63	2023	01	30	07:00	Room 6360	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
64	2023	01	01	13:00	Room 6461	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
65	2023	01	05	09:00	Room 6562	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
66	2023	01	10	15:00	Room 6663	Fire Alarm	Minor	Low	False alarm, no action required.
67	2023	01	15	11:00	Room 6764	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
68	2023	01	20	07:00	Room 6865	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
69	2023	01	25	13:00	Room 6966	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
70	2023	01	30	09:00	Room 7067	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
71	2023	01	01	15:00	Room 7168	Fire Alarm	Minor	Low	False alarm, no action required.
72	2023	01	05	11:00	Room 7269	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
73	2023	01	10	07:00	Room 7370	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
74	2023	01	15	13:00	Room 7471	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
75	2023	01	20	09:00	Room 7572	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
76	2023	01	25	15:00	Room 7673	Fire Alarm	Minor	Low	False alarm, no action required.
77	2023	01	30	11:00	Room 7774	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
78	2023	01	01	07:00	Room 7875	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
79	2023	01	05	13:00	Room 7976	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
80	2023	01	10	09:00	Room 8077	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
81	2023	01	15	15:00	Room 8178	Fire Alarm	Minor	Low	False alarm, no action required.
82	2023	01	20	11:00	Room 8279	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
83	2023	01	25	07:00	Room 8380	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
84	2023	01	30	13:00	Room 8481	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
85	2023	01	01	09:00	Room 8582	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
86	2023	01	05	15:00	Room 8683	Fire Alarm	Minor	Low	False alarm, no action required.
87	2023	01	10	11:00	Room 8784	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
88	2023	01	15	07:00	Room 8885	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
89	2023	01	20	13:00	Room 8986	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
90	2023	01	25	09:00	Room 9087	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
91	2023	01	30	15:00	Room 9188	Fire Alarm	Minor	Low	False alarm, no action required.
92	2023	01	01	11:00	Room 9289	Water Leak	Medium	Medium	Leak from sink, repaired by maintenance.
93	2023	01	05	07:00	Room 9390	Power Outage	Major	High	Complete power loss, restored after 15 minutes.
94	2023	01	10	13:00	Room 9491	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
95	2023	01	15	09:00	Room 9592	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.
96	2023	01	20	15:00	Room 9693	Fire Alarm	Minor	Low	False alarm, no action required.
97	2023	01	25	11:00	Room 9794	Water Leak	Medium	Medium	Leak from shower, repaired by maintenance.
98	2023	01	30	07:00	Room 9895	Power Outage	Major	High	Complete power loss, restored after 10 minutes.
99	2023	01	01	13:00	Room 9996	Security Breach	Critical	Very High	Unauthorized access to server room, investigation ongoing.
100	2023	01	05	09:00	Room 10097	Gas Leak	Critical	Very High	Gas detected in kitchen area, evacuated and repaired.